





8) APPLY MOLYKOTE 55 OR EQUIVALENT ON ITEM 18 THEN ASSEMBLE WITH ITEM -1, AND REMOVE EXCESS








D A



SECTION D-D



RBW7839-2G-17 IGB & TGB OIL DRAIN TOOL HOSE ASSEMBLY

1) MATERIAL: N/A
2) HEAT TREAT: N/A
3) FINISH: N/A
4) TOLERANCES: X.X = +/- 0.1" / +/- 1°
X.XX = +/-0.01" $I +/-0.5$ °
X.XXX = +/-0.005" $I +/-0.1$ °
X.XXXX = +/- 0.0005" / +/- 0.05°
PARALLELISM, ECCENTRICITY AND SYMMETRY ABOUT ALL CENTER LINES = +/-0.005"
5) UNITS: INCHES UNI ESS OTHERWISE NOTED

5) UNITS: INCHES UNLESS OTHERWISE NOTED
6) IDENTIFICATION: N/A
7) ASSEMBLE AS SHOWN
8) INSTALL ITEM 20 INTO ONE END OF ITEM 21 UNTIL FLUSH

DESIGN DRAWN	MBB MBB	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
CHECKED	KPT	TOOL PART #		REV. H	
MFG. APPR.	DP	RBW7839-2G	SHE	SHEET 6 OF 6	
APPROVED	MP	TITLE	SCALE		
DATE 2/27/2019		IGB & TGB OIL DRAIN TOOL	NTS		
		COPYRIGHT © 2019 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

7

.

8

NOTES:

D

6

Э

4

3

2

1